

	Search Text	DBs
1	(alternate\$3 near3 address near3 line) and ((cycle or phase) near3 (configure or (transfer or (read and write))))	USPAT
2	((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL	USPAT
3	((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL ) and ((switch or swap or alternate) near3 address)	USPAT
4	((conflict near3 bus) and ((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) )) and ((switch or swap or alternate) near3 address)	USPAT
5	((alternate or alternative) near3 (address adj1 (line or lines))) and (config or configuration or configurations or configure or configures or configured or configuring)	USPAT
6	((PLD or (programmable adj logic adj device)) and (switch) ) and (PCI or (peripheral adj component adj interconnect))) and ((bus near3 (config or configuration or configurations or configure or configures or configured or configuring)))	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB

	Search Text	DBs
7	((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL ) and (switch or swap or alternate)	USPAT
8	(PCI near3 bus) near3 ((configuration or setup or initialization) near3 (cycle or phase)) and (address near3 (line or signal))	USPAT

	Search Text
1	swaps near (ad or (address adj data adj line\$2))
2	swaps and (PCI or (peripheral adj component adj interconnect)) and (ad or (address adj data adj line\$2))
3	swap\$2 near (ad or (address adj data adj line\$2))
4	(switch\$2 near (ad or (address adj data adj line\$2))) and (PCI or (peripheral adj component adj interconnect))
5	switch\$2 near (ad or (address adj data adj line\$2))
6	"710"/\$.ccls. and (bus adj cycle) and (PCI or (peripheral adj component adj interconnect))
7	("710"/\$.ccls. and (bus adj cycle) and (PCI or (peripheral adj component adj interconnect))) and switch\$2
8	((("710"/\$.ccls. and (bus adj cycle) and (PCI or (peripheral adj component adj interconnect)))) and switch\$2 and (ad or (address adj data adj line\$2))
9	((("710"/\$.ccls. and (bus adj cycle) and (PCI or (peripheral adj component adj interconnect))) and switch\$2 and (ad or (address adj data adj line\$2))) and (PLD or (programmable adj logic adj device))
10	(switch or swap) near (address adj lines)
11	((switch or swap) near (address adj lines)) and PCI
12	(switch or swap) adj (address adj lines)

	Search Text
13	((("6018781") or ("6260086"))).PN.
14	(bus adj cycle) and (PCI or (peripheral adj component adj interconnect)) and (ad or (address adj data adj line\$2))
15	(bus adj cycle) and switch\$3
16	((bus adj cycle) and (PCI or (peripheral adj component adj interconnect)) and (ad or (address adj data adj line\$2))) and switch\$3
17	((bus adj cycle) and (PCI or (peripheral adj component adj interconnect)) and (ad or (address adj data adj line\$2))) and switch\$3
18	(bus adj cycle) and (PCI or (peripheral adj component adj interconnect)) and ((ad or (address adj data adj line\$2)) near switch\$3)
19	(alternate or alternative) near3 (address adj1 (line or lines))
20	((alternate or alternative) near3 (address adj1 (line or lines))) and (config or configuration or configurations or configure or configures or configured or configuring)
21	((alternate or alternative) near3 (address adj1 (line or lines))) and (config or configuration or configurations or configure or configures or configured or configuring)) and (PCI or (peripheral adj component adj interconnect))
22	((alternate or alternative) near3 (address adj1 (line or lines))) and (bus near3 (config or configuration or configurations or configure or configures or configured or configuring))
23	(bus near3 (config or configuration or configurations or configure or configures or configured or configuring))

	Search Text
24	((bus near3 (config or configuration or configurations or configure or configures or configured or configuring))) and (alternate or alternative) near3 (address adj1 (line or lines))
25	(PLD or (programmable adj logic adj device)) and (switch)
26	((PLD or (programmable adj logic adj device)) and (switch) ) and (PCI or (peripheral adj component adj interconnect))
27	((PLD or (programmable adj logic adj device)) and (switch) ) and (PCI or (peripheral adj component adj interconnect))
28	((((PLD or (programmable adj logic adj device)) and (switch) ) and (PCI or (peripheral adj component adj interconnect))) and ((bus near3 (config or configuration or configurations or configure or configures or configured or configuring)))
29	("6145029").PN.
30	"6145029".URPN.
31	bus near4 swich
32	bus near4 switch
33	(address adj1 line\$2) near2 switch
34	((("5157665") or ("6173358") or ("6356084") or ("6446240") or ("5610829") or ("5802544"))).PN.
35	((("5799036") or ("6285603") or ("6173358") or ("6018781") or ("6360352") or ("5610829"))).PN.

	Search Text
36	((configuration or read or write) near3 cycle) with (address near3 (line or signal))
37	((((configuration or read or write) near3 cycle) with (address near3 (line or signal))) and (((("5799036") or ("6285603") or ("6173358") or ("6018781") or ("6360352") or ("5610829"))).PN.)
38	((((configuration or read or write) near3 cycle) with (address near3 (line or signal))) and (((("5799036") or ("6285603") or ("6173358") or ("6018781") or ("6360352") or ("5610829"))).PN.)
39	((((configuration or read or write) near3 cycle) with (address near3 (line or signal))) and (swap or change)
40	((configuration or read or write) near3 cycle) with ((address near3 (line or signal)) near3 (swap or change))
41	710/316.ccls.
42	710/316.ccls. and ((configuration or read or write) near3 cycle)
43	710/316.ccls. and ((address near3 (line or signal)) near3 (swap or change))
44	710/316.ccls. and (addressnear3 (swap or change))
45	710/316.ccls. and (address near3 (swap or change))
46	(alternate or alternative) near3 (address adj1 (line or lines))
47	((alternate or alternative) near3 (address adj1 (line or lines))) and (config or configuration or configurations or configure or configures or configured or configuring)
48	((alternate or alternative) near3 (address adj1 (line or lines))) with (config or configuration or configurations or configure or configures or configured or configuring)
49	(configuration near3 cycle) with (address)

	Search Text
50	(configuration near3 cycle) with ((address) near3 (swap or change or mux))
51	(Swap or swapping or switching or switch) near3 ((address or control) near3 (lines or signal))
52	((Swap or swapping or switching or switch) near3 ((address or control) near3 (lines or signal))) and ((bus or configuration or read or write) near3 cycle)
53	((((Swap or swapping or switching or switch) near3 ((address or control) near3 (lines or signal))) and ((bus or configuration or read or write) near3 cycle)) and (PCI near3 bus)
54	(Swap or swapping or switching or switch) near3 (address near3 (lines or signal))
55	((Swap or swapping or switching or switch) near3 (address near3 (lines or signal))) and ((bus or configuration or read or write) near3 cycle)
56	((((Swap or swapping or switching or switch) near3 (address near3 (lines or signal))) and ((bus or configuration or read or write) near3 cycle)) and (PCI near3 bus)
57	dynamic near3 PCI near3 redirection
58	dynamic near3 identification near3 redirection
59	("5598537"   "5598539"   "5632020"   "5721935"   "5748911"   "5784576"   "5793987"   "5798951"   "5873000"   "5875307"   "5875308"   "5933609"   "5935226"   "5983354"   "6035355"   "6073196"   "6081863").PN.
60	("5598537"   "5598539"   "5632020"   "5721935"   "5748911"   "5784576"   "5793987"   "5798951"   "5873000"   "5875307"   "5875308"   "5933609"   "5935226"   "5983354"   "6035355"   "6073196"   "6081863").PN.
61	(PCI near3 bus near3 switch) and address

	Search Text
62	(US-5943288-\$ or US-6035345-\$ or US-6393498-\$ or US-6519669-\$ or US-6032212-\$ or US-5838954-\$ or US-6393548-\$) .did.
63	(PCI near3 bus near3 switch) and ((swap or switch or change or alternate) near3 address)
64	(PCI near3 bus) and ((configuration or setup or initialization) near3 (cycle or phase)) and (address near3 (line or signal))
65	(PCI near3 bus) and (((configuration or setup or initialization) near3 (cycle or phase)) with (address near3 (line or signal)))
66	("5511203"   "5781783"   "5910876"   "5926629"   "5983303"   "5983325") .PN.
67	"5799036" .pn.
68	( "4578537"   "4597077"   "4614114"   "4679191"   "4916607"   "4972457"   "5136631"   "5192999"   "5274738"   "5333266"   "5335276"   "5349640"   "5353334"   "5361061"   "5392223"   "5408614"   "5411405"   "5423697"   "5426564"   "5428663"   "5440585"   "5444768"   "5444869"   "5445525"   "5457782"   "5463742"   "5471470"   "5475691"   "5481616"   "5517646"   "5519641"   "5526408") .PN.
69	"5799036" .URPN.
70	"5799036" .URPN. and ((swap or change or multiplex ) near3 address)
71	(PCI near3 bus) near3 ((configuration or setup or initialization) near3 (cycle or phase)) and (address near3 (line or signal))
72	((PCI near3 bus) near3 ((configuration or setup or initialization) near3 (cycle or phase))) with (address near3 (line or signal))
73	((PCI near3 bus) near3 ((configuration or setup or initialization) near3 (cycle or phase))) with (IDSEL near3 signal)



	Search Text
74	"5835784"
75	((("5835784") or ("6272582") or ("5923660") or ("5655142") or ("6393498") or ("6035355") or ("5859987") or ("6173358") or ("6018781")) .PN.) and address and config\$3
76	((("5835784") or ("6272582") or ("5923660") or ("5655142") or ("6393498") or ("6035355") or ("5859987") or ("6173358") or ("6018781")) .PN.
77	("l2and(configurationnear3cycle)").PN.
78	((("5835784") or ("6272582") or ("5923660") or ("5655142") or ("6393498") or ("6035355") or ("5859987") or ("6173358") or ("6018781")) .PN.) and (configuration near3 cycle)
79	(( bus) near3 ((configuration or setup or initialization) near3 (cycle or phase))) with (address near3 (signal or line or data))
80	(address near3 device) and (selecting near3 device) and PCI
81	((address near3 device) and (selecting near3 device) and PCI) and (configuration near3 cycle)
82	((PCI or system) near3 bus) and PLD
83	((PCI ) near3 bus) and PLD
84	((PCI ) near3 bus) and PLD) and (configuration near3 cycle)
85	config\$4 near3 (address near3 (line or bus or signal))
86	config\$4 near3 (address near3 (line or bus or signal or pin))
87	(config\$4 near3 (address near3 (line or bus or signal or pin))) and PLD
88	(config\$4 near3 (address near3 (line or bus or signal or pin))) and (PLD or FPGA or PGA)

	Search Text
89	(config\$4 near3 (address near3 (line or bus or signal or pin))) and (configuration near3 cycle) and PCI
90	710/316.ccls.
91	710/316.ccls. and ((configuration or read or write) near3 (cycle or phase))
92	"5687346".pn. and "5799036".pn.
93	"5687346".pn.
94	"5799036".pn.
95	"5687346".pn. and "5799036".pn.
96	"5687346".pn. "5799036".pn.
97	("5687346".pn. "5799036".pn.) and (reset or reconfi\$3)
98	"5799036".pn. and reset
99	("5687346".pn. "5799036".pn.) and default
100	("5687346".pn. "5799036".pn.) and retry
101	((("6018781") or ("6260086") or ("5228130") or ("5681357")) .PN.) and address
102	((("6018781") or ("6260086") or ("5228130") or ("5681357")) .PN.
103	("5687357") .PN.
104	("alternate\$3near3addressnear3(lineorsignalordatapin)") .PN.
105	alternate\$3 near3 address near3 (line or signal or data pin)
106	(alternate\$3 near3 address near3 (line or signal or data pin)) and (cycle or phase or configure or (transfer or (read and write)))

	Search Text
107	alternate\$3 near3 address near3 line
108	(alternate\$3 near3 address near3 (line or signal or data pin)) and (cycle or phase) and (configure or (transfer or (read and write)))
109	(alternate\$3 near3 address near3 line) and (cycle or phase) and (configure or (transfer or (read and write)))
110	(alternate\$3 near3 address near3 (line or signal or data pin)) and ((cycle or phase) near3 (configure or (transfer or (read and write))))
111	(bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control)
112	("4509113"   "5911055"   "6070207"   "6085333"   "6148356").PN.
113	((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL ) and (switch or swap or alternate)
114	conflict near3 bus
115	(conflict near3 bus) and ((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) )
116	((("6161161") or ("5799036"))).PN.
117	((("6161161") or ("5799036"))).PN.) and (retry or reset or reconfigure or reassume)
118	(confiuration near3 (cycle or phase)) with (switch or change) with (address)
119	(confiuration near3 (cycle or phase)) with (switch or change) with (address near3 (lines or signal or data))

	Search Text
120	((conflict near3 bus) and ((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) )) and ((switch or swap or alternate) near3 address)
121	((((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL ) and ((switch or swap or alternate) near3 address)
122	((bus near cycle) and (retry or reissue or reconfigure or reset) and ((configuration or read or write) near3 (cycle or phase)) and (control) ) and IDSEL
123	(alternate\$3 near3 address near3 line) and ((cycle or phase) near3 (configure or (transfer or (read and write))))